

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

#### Product name

**EK-CRYOFUEL CONCENTRATE**

#### Synonyms

EK-CryoFuel Clear Concentrate 100mL (EAN 3831109813300) , EK-CryoFuel Blood Red Concentrate 100mL (EAN 3831109813317), EK-CryoFuel Navy Blue Concentrate 100mL (EAN 3831109813324), EK-CryoFuel Lime Yellow Concentrate 100mL (EAN 3831109813331), EK-CryoFuel Acid Green Concentrate 100mL (EAN 3831109813348), EK-CryoFuel Amber Orange Concentrate 100mL (EAN 3831109810422), EK-CryoFuel Indigo Violet Concentrate 100mL (EAN 3831109810439), EK-CryoFuel Power Pink Concentrate 100mL (EAN 3831109816141)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Coolant for water cooling of computer systems.

#### Uses advised against

Not for consumption.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

KIMI d.o.o.  
Planjava 1, 1236 Trzin,  
Slovenia  
Tel: 00386 (0)1 5300 550  
Fax: 00386 (0)1 5300 580  
E-mail: info@kimi.si

#### Supplier

EKWB d.o.o.  
Address: Poslovna Cona Pod Lipami 18, 1218 Komenda, Slovenia  
Phone: 0590 96610

### 1.4. Emergency telephone number

#### Emergency

112

#### Supplier

0590 96610

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Skin Sens. 1; H317 May cause an allergic skin reaction.  
Repr. 2; H361d Suspected of damaging the unborn child.


# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

## 2.2 Label elements

### 2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]



Signal word: **Warning**

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

P102 Keep out of reach of children.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P312 Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with national regulations.

### 2.2.2. Contains:

sodium 2-ethylhexanoate (CAS: 19766-89-3, EC: 243-283-8)

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (CAS: 55965-84-9, Index: 613-167-00-5)

### 2.2.3. Special provisions

Special hazards are not known or expected.

## 2.3. Other hazards

No information.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

For mixtures see 3.2.

### 3.2. Mixtures

Name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	REACH Registration No.
sodium 2-ethylhexanoate	19766-89-3 243-283-8 -	2,5-5	Repr. 2; H361d		-
Methyl-1H-benzotriazole	29385-43-1 249-596-6 -	0,1-1	Acute Tox. 4; H302 Aquatic Chronic 3; H412		-
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1)	55965-84-9 - 613-167-00-5	<0,02	Acute Tox. 3; H301 Acute Tox. 3; H311 Skin Corr. 1B; H314 Skin Sens. 1; H317 Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	Skin Corr. 1B; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Skin Sens. 1; H317: C ≥ 0,0015 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 %	-

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

---

## SECTION 4. FIRST AID MEASURES

---

### 4.1. Description of first aid measures

#### General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency.

#### Following inhalation

Remove patient to fresh air - move out of dangerous area. If symptoms develop and persist, seek medical attention.

#### Following skin contact

Take off all contaminated clothing. If symptoms develop and persist, seek medical attention. Areas of the body that have come into contact with the product must be rinsed with water.

#### Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

#### Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. In case of doubt or if feeling unwell seek medical help. Show the physician the safety data sheet or label.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

#### Skin contact

May cause sensitisation by skin contact (symptoms: itching, redness, rashes).

#### Eye contact

Contact with eyes can cause irritation (redness, tearing, pain).

#### Ingestion

May cause nausea/vomiting and diarrhea.

### 4.3. Indication of any immediate medical attention and special treatment needed

-

---

## SECTION 5. FIREFIGHTING MEASURES

---

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

#### Unsuitable extinguishing media

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

### 5.3. Advice for firefighters

#### Protective actions

-

#### Special protective equipment for firefighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

---

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### **Protective equipment**

Use personal protective equipment (Section 8).

##### **Emergency procedures**

Ensure adequate ventilation.

#### 6.1.2. For emergency responders

-

### 6.2. Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

### 6.3. Methods and material for containment and cleaning up

#### 6.3.1. For containment

-

#### 6.3.2. For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor.

#### 6.3.3. Other information

-

### 6.4. Reference to other sections

See also Sections 8 and 13.

---

## SECTION 7. HANDLING AND STORAGE

---

### 7.1. Precautions for safe handling

#### 7.1.1. Protective measures

##### **Measures to prevent fire**

Ensure adequate ventilation.

##### **Measures to prevent aerosol and dust generation**

Avoid formation of aerosols.

##### **Measures to protect the environment**

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

#### 7.1.2. Advice on general occupational hygiene

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Do not breathe vapours/mist.

### 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1. Technical measures and storage conditions

Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children. Store at room temperature.

#### 7.2.2. Packaging materials

The original container of producer.

#### 7.2.3. Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking.

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

## 7.2.4. Storage class

-

## 7.2.5. Further information on storage conditions

-

## 7.3. Specific end use(s)

### Recommendations

-

### Industrial sector specific solutions

-

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Name (CAS)	Limit values		Short-term exposure limit		Remarks	Biological Tolerance Values
	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)		0,05			8 h	

#### 8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents.

#### 8.1.3. DNEL/DMEL values

##### For components

Name	Type	Exposure route	Exposure frequency	Value	Remark
sodium 2-ethylhexanoate (19766-89-3)	Worker	dermal	long term (systemic effects)	2 mg/kg bw/day	
sodium 2-ethylhexanoate (19766-89-3)	Worker	inhalation	long term (systemic effects)	14 mg/m <sup>3</sup>	
sodium 2-ethylhexanoate (19766-89-3)	Consumer	oral	long term (systemic effects)	1 mg/kg bw/day	
sodium 2-ethylhexanoate (19766-89-3)	Consumer	dermal	long term (systemic effects)	1 mg/kg bw/day	
sodium 2-ethylhexanoate (19766-89-3)	Consumer	inhalation	long term (systemic effects)	3,5 mg/m <sup>3</sup>	

#### 8.1.4. PNEC values

##### For components

Name	Exposure route	Value	Remark
sodium 2-ethylhexanoate (19766-89-3)	fresh water	0,36 mg/L	
sodium 2-ethylhexanoate (19766-89-3)	marine water	0,036 mg/L	
sodium 2-ethylhexanoate (19766-89-3)	water, intermittent release	0,493 mg/L	
sodium 2-ethylhexanoate (19766-89-3)	fresh water sediment	0,301 mg/kg	dry weight
sodium 2-ethylhexanoate (19766-89-3)	marine water sediment	0,0301 mg/kg	dry weight
sodium 2-ethylhexanoate (19766-89-3)	soil	0,0579 mg/kg	dry weight
sodium 2-ethylhexanoate (19766-89-3)	water treatment plant	71,7 mg/L	

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

---

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering control

#### Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material.

#### Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

### 8.2.2. Personal protective equipment

#### Eye and face protection

Safety glasses with side protection (EN 166).

#### Hand protection

Protective gloves (EN 374).

#### Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

#### Respiratory protection

-

#### Thermal hazards

-

### 8.2.3. Environmental exposure controls

#### Substance/mixture related measures to prevent exposure

Do not allow contact with soil, surface or groundwater.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1. Information on basic physical and chemical properties

-	<b>Physical state:</b>	liquid
-	<b>Colour:</b>	according to specification
-	<b>Odour:</b>	characteristic

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

## Important health, safety and environmental information

-	<b>pH</b>	7 – 8 at 20 °C, conc. 10 %
-	<b>Melting point/freezing point</b>	No information.
-	<b>Initial boiling point/boiling range</b>	No information.
-	<b>Flash point</b>	No information.
-	<b>Evaporation rate</b>	No information.
-	<b>Flammability (solid, gas)</b>	No information.
-	<b>Explosion limits (vol%)</b>	No information.
-	<b>Vapour pressure</b>	No information.
-	<b>Vapour density</b>	No information.
-	<b>Density</b>	<b>Density:</b> ca. 1 g/cm <sup>3</sup> at 20 °C
-	<b>Solubility</b>	<b>Water:</b> miscible
-	<b>Partition coefficient</b>	No information.
-	<b>Auto-ignition temperature</b>	No information.
-	<b>Decomposition temperature</b>	No information.
-	<b>Viscosity</b>	No information.
-	<b>Explosive properties</b>	No information.
-	<b>Oxidising properties</b>	No information.

## 9.2. Other information

-	<b>Remarks:</b>	
---	-----------------	--

## SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

-

### 10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

### 10.3. Possibility of hazardous reactions

-

### 10.4. Conditions to avoid

No special precautions required. Consider the directions for use and storage.

### 10.5. Incompatible materials

-

### 10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### (a) Acute toxicity

Name	Exposure route	Type	Species	Time	Value	Method	Remark
sodium 2-ethylhexanoate (19766-89-3)	oral	LD <sub>50</sub>	rat		2043 mg/kg bw	OECD 401	
sodium 2-ethylhexanoate (19766-89-3)	dermal	LD <sub>50</sub>	rat		> 2000 mg/kg bw	OECD 402	
sodium 2-ethylhexanoate (19766-89-3)	inhalation (vapours)	LC <sub>0</sub>	rat	8 h	0,11 mg/l	OECD 403	
Methyl-1H-benzotriazole (29385-43-1)	oral	LD <sub>50</sub>	rat		600 mg/kg		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	oral	LD <sub>50</sub>	rat		53 mg/kg		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	inhalation	LC <sub>50</sub>	rat	4 h	330 mg/m <sup>3</sup>		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	inhalation	LC <sub>50</sub>	rat	4 h	2,36 mg/l		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	dermal	LD <sub>50</sub>	rabbit		660 mg/kg		

#### (b) Skin corrosion/irritation

Name	Species	Time	Result	Method	Remark
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	rabbit		Corrosive	OECD 404	

#### (c) Serious eye damage/irritation

No information.

#### (d) Respiratory or skin sensitisation

Name	Exposure route	Species	Time	Result	Method	Remark
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	dermal			May cause sensitisation by skin contact.		

#### (e) (Germ cell) mutagenicity

Name	Type	Species	Time	Result	Method	Remark
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)				Not mutagenic.		

#### (f) Carcinogenicity

Name	Exposure route	Type	Species	Time	Value	Result	Method	Remark
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)						Not carcinogenic.		



# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

## (g) Reproductive toxicity

Name	Reproductive toxicity type	Type	Species	Time	Value	Result	Method	Remark
sodium 2-ethylhexanoate (19766-89-3)	Teratogenicity	oral	rat			Increased incidence of malformations, delayed fetal growth, lower birth rates.		(2-EXA)
sodium 2-ethylhexanoate (19766-89-3)	Teratogenicity		mouse			birth malformations		intraperitoneal
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)						Not toxic for reproduction.		

## Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

## (h) STOT-single exposure

No information.

## (i) STOT-repeated exposure

Name	Exposure route	Type	Species	Time	Organ	Value	Result	Method	Remark
sodium 2-ethylhexanoate (19766-89-3)	oral	-	rat				2-Ethylhexanoic acid (2-EXA) caused an increase in liver size and enzyme levels when repeatedly administered to rats via the diet.		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	inhalation	-					Excessive exposure may cause irritation of the upper respiratory tract (nose and throat).		

## (j) Aspiration hazard

Name	Result	Method	Remark
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	During ingestion or vomiting, inhalation into the lungs may occur, which can cause tissue damage or lung injury.		

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### 12.1.1. Acute (short-term) toxicity

##### **For components**

Substance (CAS Nr.)	Type	Value	Exposure time	Species	Organism	Method	Remark
sodium 2-ethylhexanoate (19766-89-3)	LC <sub>50</sub>	> 100 mg/L	96 h	fish	<i>Oryzias latipes</i>	OECD 203	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	EC <sub>50</sub>	0,16 mg/L	48 h	crustacea	<i>Daphnia sp.</i>		
	LC <sub>50</sub>	0,19 mg/L	96 h	fish			

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

## 12.1.2. Chronic (long-term) toxicity

### For components

Substance (CAS Nr.)	Type	Value	Exposure time	Species	Organism	Method	Remark
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	NOEC	0,098 mg/l	28 days	fish	<i>Oncorhynchus mykiss</i>	OECD 210	
	NOEC	0,0036 mg/l	21 days	crustaceans	<i>Daphnia magna</i>	OECD 211	

## 12.2. Persistence and degradability

### 12.2.1. Abiotic degradation, physical- and photo-chemical elimination

#### For components

Substance (CAS Nr.)	Environment	Type / Method	Half Time	Evaluation	Method	Remark
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	Air	photodegradation	0,38 – 1,3 days	50%		half-life

### 12.2.2. Biodegradation

#### For components

Substance (CAS Nr.)	Type	Rate	Time	Evaluation	Method	Remark
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	aerobic	> 60 %	28 days	readily biodegradable	OECD 301 D	

## 12.3. Bioaccumulative potential

### 12.3.1. Partition coefficient

#### For components

Substance (CAS Nr.)	Media	Value	Temperature	pH	Concentration	Method
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	log Kow	-0,71 – 0,75	20 °C			OECD 117

### 12.3.2. Bioconcentration factor (BCF)

No information.

## 12.4. Mobility in soil

### 12.4.1. Known or predicted distribution to environmental compartments

No information.

### 12.4.2. Surface tension

No information.

### 12.4.3. Adsorption/Desorption

#### For components

Substance (CAS Nr.)	Type	Criterion	Value	Evaluation	Method	Remark
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9)	Soil		28			Koc, estimation

### Additional information

Soluble in water.

## 12.5. Results of PBT and vPvB assessment

No evaluation.

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

---

## 12.6. Other adverse effects

No information.

## 12.7. Additional information

### For product

Do not allow to reach ground water, water courses or sewage system.

### For components

#### Substance: sodium 2-ethylhexanoate

Do not allow to reach ground water, water bodies or sewage systems.

#### Substance: reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1)

This substance is not in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

---

### 13.1. Waste treatment methods

#### 13.1.1. Product / Packaging disposal

##### Waste chemical

Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste.

##### Waste codes / waste designations according to LoW

16 01 14\* - antifreeze fluids containing dangerous substances

##### Packaging

Deliver completely emptied containers to approved waste disposal authorities.

##### Waste codes / waste designations according to LoW

15 01 02 - plastic packaging

#### 13.1.2. Waste treatment-relevant information

-

#### 13.1.3. Sewage disposal-relevant information

-

#### 13.1.4. Other disposal recommendations

-

---

## SECTION 14. TRANSPORT INFORMATION

---

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

ADR, RID, IMDG, ADN, IATA: Not dangerous according to transport regulations.

### 14.3. Transport hazard class(es)

Not applicable.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

NO.

---

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

## 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

## SECTION 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

#### 15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Not applicable.

### 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16. OTHER INFORMATION

### Indication of changes

-

### Abbreviations and acronyms

ATE - Acute Toxicity Estimate  
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
CEN - European Committee for Standardisation  
C&L - Classification and Labelling  
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
CAS# - Chemical Abstracts Service number  
CMR - Carcinogen, Mutagen, or Reproductive Toxicant  
CSA - Chemical Safety Assessment  
CSR - Chemical Safety Report  
DMEL - Derived Minimal Effect Level  
DNEL - Derived No Effect Level  
DPD - Dangerous Preparations Directive 1999/45/EC  
DSD - Dangerous Substances Directive 67/548/EEC  
DU - Downstream User  
EC - European Community  
ECHA - European Chemicals Agency  
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)  
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)  
EEC - European Economic Community  
EINECS - European Inventory of Existing Commercial Substances  
ELINCS - European List of notified Chemical Substances  
EN - European Standard  
EQS - Environmental Quality Standard  
EU - European Union  
Euphrac - European Phrase Catalogue  
EWC - European Waste Catalogue (replaced by LoW – see below)  
GES - Generic Exposure Scenario  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air  
IMDG - International Maritime Dangerous Goods

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

---

IMSBC - International Maritime Solid Bulk Cargoes  
IT - Information Technology  
IUCLID - International Uniform Chemical Information Database  
IUPAC - International Union for Pure Applied Chemistry  
JRC - Joint Research Centre  
Kow - octanol-water partition coefficient  
LC<sub>50</sub> - Lethal Concentration to 50 % of a test population  
LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose)  
LE - Legal Entity  
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)  
LR - Lead Registrant  
M/I - Manufacturer / Importer  
MS - Member States  
MSDS - Material Safety Data Sheet  
OC - Operational Conditions  
OECD - Organization for Economic Co-operation and Development  
OEL - Occupational Exposure Limit  
OJ - Official Journal  
OR - Only Representative  
OSHA - European Agency for Safety and Health at work  
PBT - Persistent, Bioaccumulative and Toxic substance  
PEC - Predicted Effect Concentration  
PNEC(s) - Predicted No Effect Concentration(s)  
PPE - Personal Protection Equipment  
(Q)SAR - Qualitative Structure Activity Relationship  
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
RIP - REACH Implementation Project  
RMM - Risk Management Measure  
SCBA - Self-Contained Breathing Apparatus  
SDS - Safety data sheet  
SIEF - Substance Information Exchange Forum  
SME - Small and Medium sized Enterprises  
STOT - Specific Target Organ Toxicity  
(STOT) RE - Repeated Exposure  
(STOT) SE - Single Exposure  
SVHC - Substances of Very High Concern  
UN - United Nations  
vPvB - Very Persistent and Very Bioaccumulative

## Key literature references and sources for data

MSDS of ingredients of the product.

## List of relevant H phrases

H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H331 Toxic if inhaled.  
H361d Suspected of damaging the unborn child.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **EK-CRYOFUEL CONCENTRATE**

Creation date: **31.1.2017** · Revision: **1.7.2019** · Version: **1**

---

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.