

SAFETY DATA SHEET

according to Regulation 1907/2006 amended by

2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

EK-CRYOFUEL PREMIX CLEAR / SOLID

Synonyms

EK-CryoFuel Clear Premix 1000mL (EAN 3831109813256), EK-CryoFuel Blood Red Premix 1000mL (EAN 3831109813263), EK-CryoFuel Navy Blue Premix 1000mL (EAN 3831109813270), EK-CryoFuel Lime Yellow Premix 1000mL (EAN 3831109813287), EK-CryoFuel Acid Green Premix 1000mL (EAN 3831109813294), EK-CryoFuel Amber Orange Premix 1000mL (EAN 3831109810408), EK-CryoFuel Indigo Violet Premix 1000mL (EAN 3831109810415), EK-CryoFuel Solid Electric Purple Premix 1000mL (EAN 3831109880340), EK-CryoFuel Solid Azure Blue Premix 1000mL (EAN 3831109880357), EK-CryoFuel Solid Neon Green Premix 1000mL (EAN 3831109880364), EK-CryoFuel Solid Cloud White Premix 1000mL (EAN 3831109880302), EK-CryoFuel Solid Laguna Yellow Premix 1000mL (EAN 3831109880319), EK-CryoFuel Solid Fire Orange Premix 1000mL (EAN 3831109880326), EK-CryoFuel Solid Scarlet Red Premix 1000mL (EAN 3831109880333), EK-CryoFuel Power Pink Premix 1000 mL (EAN 3831109816134), EK-CryoFuel Clear Premix 200 mL (NVIDIA) (EAN 3830046996817), EK-CryoFuel Mystic Fog Premix 1000 mL (EAN 3831109829912)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Coolant for water cooling of computer systems.

Uses advised against

Not for consumption.

1.3. Details of the supplier of the safety data sheet

Manufacturer

KIMI d.o.o.
Planjava 1, 1236 Trzin,
Slovenia
Tel: 00386 (0)1 5300 550
Fax: 00386 (0)1 5300 580
E-mail: info@kimi.si

Supplier

EKWB d.o.o.
Address: Poslovna Cona Pod Lipami 18, 1218 Komenda, Slovenia
Phone: 0590 96610

1.4. Emergency telephone number

112

0590 96610

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

According to the regulation, the product is not classified as hazardous.

2.2 Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]

EUH208 Contains Reakcijska zmes 5-kloro-2-metil-4-izotiazolin-3-on [EC št. 247-500-7] in 2-metil-2H -izotiazol-3-on [EC št. 220-239-6] (3:1). May produce an allergic reaction.

P102 Keep out of reach of children.

P501 Dispose of contents/container in accordance with national regulations.

2.2.2. Contains:

-

SAFETY DATA SHEET

according to Regulation 1907/2006 amended by

2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

2.2.3. Special provisions

Special hazards are not known or expected.

2.3. Other hazards

No information.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

For mixtures see 3.2.

3.2. Mixtures

Name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	REACH Registration No.
sodium 2-ethylhexanoate	19766-89-3 243-283-8 -	0,1-1	Repr. 2; H361d		-
Reakcijska zmes 5-kloro-2-metil-4-izotiazolin-3-on [EC št. 247-500-7] in 2-metil-2H -izotiazol-3-on [EC št. 220-239-6] (3:1)	55965-84-9 - 613-167-00-5	<0,0015	Acute Tox. 3; H301 Acute Tox. 2; H310 Skin Corr. 1B; H314 Skin Sens. 1A; H317 Eye Dam. 1; H318 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	Skin Corr. 1B; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Skin Sens. 1; H317: C ≥ 0,0015 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 %	-

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency.

Following inhalation

Remove patient to fresh air - move out of dangerous area. If symptoms develop and persist, seek medical attention.

Following skin contact

Take off all contaminated clothing. If symptoms develop and persist, seek medical attention. Areas of the body that have come into contact with the product must be rinsed with water.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. In case of doubt or if feeling unwell seek medical help. Show the physician the safety data sheet or label.

SAFETY DATA SHEET

according to Regulation 1907/2006 amended by

2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

-

Skin contact

-

Eye contact

Contact with eyes can cause irritation (redness, tearing, pain).

Ingestion

May cause nausea/vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

-

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

5.3. Advice for firefighters

Protective actions

-

Special protective equipment for firefighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Emergency procedures

Ensure adequate ventilation.

6.1.2. For emergency responders

-

6.2. Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

SAFETY DATA SHEET

according to Regulation 1907/2006 amended by

2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

6.3. Methods and material for containment and cleaning up

6.3.1. For containment

-

6.3.2. For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor.

6.3.3. Other information

-

6.4. Reference to other sections

See also Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

7.1.1. Protective measures

Measures to prevent fire

Ensure adequate ventilation.

Measures to prevent aerosol and dust generation

-

Measures to protect the environment

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

7.1.2. Advice on general occupational hygiene

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Do not breathe vapours/mist.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Technical measures and storage conditions

Keep in cool and well ventilated area. Keep away from food, drink and animal feeding stuffs.

7.2.2. Packaging materials

The original container of producer.

7.2.3. Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking.

7.2.4. Storage class

-

7.2.5. Further information on storage conditions

-

7.3. Specific end use(s)

Recommendations

-

Industrial sector specific solutions

-

SAFETY DATA SHEET

according to Regulation 1907/2006 amended by

2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. Occupational exposure limit values

No information.

8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values.

8.1.3. DNEL/DMEL values

For components

Name	Type	Exposure route	Exposure frequency	Value	Remark
sodium 2-ethylhexanoate (19766-89-3)	Worker	dermal	long term (systemic effects)	2 mg/kg bw/day	
sodium 2-ethylhexanoate (19766-89-3)	Worker	inhalation	long term (systemic effects)	14 mg/m ³	
sodium 2-ethylhexanoate (19766-89-3)	Consumer	oral	long term (systemic effects)	1 mg/kg bw/day	
sodium 2-ethylhexanoate (19766-89-3)	Consumer	dermal	long term (systemic effects)	1 mg/kg bw/day	
sodium 2-ethylhexanoate (19766-89-3)	Consumer	inhalation	long term (systemic effects)	3,5 mg/m ³	

8.1.4. PNEC values

For components

Name	Exposure route	Value	Remark
sodium 2-ethylhexanoate (19766-89-3)	fresh water	0,36 mg/L	
sodium 2-ethylhexanoate (19766-89-3)	marine water	0,036 mg/L	
sodium 2-ethylhexanoate (19766-89-3)	water, intermittent release	0,493 mg/L	
sodium 2-ethylhexanoate (19766-89-3)	fresh water sediment	0,301 mg/kg	dry weight
sodium 2-ethylhexanoate (19766-89-3)	marine water sediment	0,0301 mg/kg	dry weight
sodium 2-ethylhexanoate (19766-89-3)	soil	0,0579 mg/kg	dry weight
sodium 2-ethylhexanoate (19766-89-3)	water treatment plant	71,7 mg/L	

8.2. Exposure controls

8.2.1. Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

8.2.2. Personal protective equipment

Eye and face protection

Safety glasses with side protection (EN 166).

Hand protection

Protective gloves (EN 374).

Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

Respiratory protection

-

SAFETY DATA SHEET

according to Regulation 1907/2006 amended by

2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

Thermal hazards

-

8.2.3. Environmental exposure controls

-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

-	Physical state:	liquid
-	Colour:	according to specification
-	Odour:	characteristic

Important health, safety and environmental information

-	pH	ca. 8,25 at 20 °C
-	Melting point/freezing point	No information.
-	Initial boiling point/boiling range	No information.
-	Flash point	No information.
-	Evaporation rate	No information.
-	Flammability (solid, gas)	No information.
-	Explosion limits (vol%)	No information.
-	Vapour pressure	No information.
-	Vapour density	No information.
-	Density	Density: ca. 1,005 g/cm ³ at 20 °C
-	Solubility	Water: miscible
-	Partition coefficient	No information.
-	Auto-ignition temperature	No information.
-	Decomposition temperature	No information.
-	Viscosity	No information.
-	Explosive properties	No information.
-	Oxidising properties	No information.

9.2. Other information

-	Remarks:	
---	-----------------	--

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

-

10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3. Possibility of hazardous reactions

-

10.4. Conditions to avoid

No special precautions required. Consider the directions for use and storage.

SAFETY DATA SHEET according to Regulation 1907/2006 amended by 2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
 Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

10.5. Incompatible materials

-

10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

(a) Acute toxicity

Name	Exposure route	Type	Species	Time	Value	Method	Remark
sodium 2-ethylhexanoate (19766-89-3)	oral	LD ₅₀	rat		2043 mg/kg bw	OECD 401	
sodium 2-ethylhexanoate (19766-89-3)	dermal	LD ₅₀	rat		> 2000 mg/kg bw	OECD 402	
sodium 2-ethylhexanoate (19766-89-3)	inhalation (vapours)	LC ₀	rat	8 h	0,11 mg/l	OECD 403	

(b) Skin corrosion/irritation

No information.

(c) Serious eye damage/irritation

No information.

(d) Respiratory or skin sensitisation

No information.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

Name	Reproductive toxicity type	Type	Species	Time	Value	Result	Method	Remark
sodium 2-ethylhexanoate (19766-89-3)	Teratogenicity	oral	rat			Increased incidence of malformations, delayed fetal growth, lower birth rates.		(2-EXA)
sodium 2-ethylhexanoate (19766-89-3)	Teratogenicity		mouse			birth malformations		intraperitoneal

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

(h) STOT-single exposure

No information.

(i) STOT-repeated exposure

Name	Exposure route	Type	Species	Time	Organ	Value	Result	Method	Remark
sodium 2-ethylhexanoate (19766-89-3)	oral	-	rat				2-Ethylhexanoic acid (2-EXA) caused an increase in liver size and enzyme levels when repeatedly administered to rats via the diet.		

SAFETY DATA SHEET according to Regulation 1907/2006 amended by 2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

(j) Aspiration hazard

No information.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Acute (short-term) toxicity

For components

Substance (CAS Nr.)	Type	Value	Exposure time	Species	Organism	Method	Remark
sodium 2-ethylhexanoate (19766-89-3)	LC ₅₀	> 100 mg/L	96 h	fish	<i>Oryzias latipes</i>	OECD 203	

12.1.2. Chronic (long-term) toxicity

No information.

12.2. Persistence and degradability

12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

12.2.2. Biodegradation

No information.

12.3. Bioaccumulative potential

12.3.1. Partition coefficient

No information.

12.3.2. Bioconcentration factor (BCF)

No information.

12.4. Mobility in soil

12.4.1. Known or predicted distribution to environmental compartments

No information.

12.4.2. Surface tension

No information.

12.4.3. Adsorption/Desorption

No information.

12.5. Results of PBT and vPvB assessment

No evaluation.

12.6. Other adverse effects

No information.

12.7. Additional information

For product

Product is not classified as dangerous for environment.

For components

Substance: sodium 2-ethylhexanoate

Do not allow to reach ground water, water bodies or sewage systems.

SAFETY DATA SHEET

according to Regulation 1907/2006 amended by 2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

13.1.1. Product / Packaging disposal

Waste chemical

Dispose according to regulations.

Waste codes / waste designations according to LoW

20 01 99 - other fractions not otherwise specified

Packaging

Emptied container is suitable for recycling.

Waste codes / waste designations according to LoW

15 01 02 - plastic packaging

13.1.2. Waste treatment-relevant information

-

13.1.3. Sewage disposal-relevant information

-

13.1.4. Other disposal recommendations

-

SECTION 14. TRANSPORT INFORMATION

14.1. UN number

Not applicable.

14.2. UN proper shipping name

ADR, RID, IMDG, ADN, IATA: Not dangerous according to transport regulations.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

NO.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

SAFETY DATA SHEET

according to Regulation 1907/2006 amended by
2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Not applicable.

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

Indication of changes

-

Abbreviations and acronyms

ATE - Acute Toxicity Estimate
ADR - Agreement concerning the International Carriage of Dangerous Goods by Road
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CEN - European Committee for Standardisation
C&L - Classification and Labelling
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
CAS# - Chemical Abstracts Service number
CMR - Carcinogen, Mutagen, or Reproductive Toxicant
CSA - Chemical Safety Assessment
CSR - Chemical Safety Report
DMEL - Derived Minimal Effect Level
DNEL - Derived No Effect Level
DPD - Dangerous Preparations Directive 1999/45/EC
DSD - Dangerous Substances Directive 67/548/EEC
DU - Downstream User
EC - European Community
ECHA - European Chemicals Agency
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)
EEC - European Economic Community
EINECS - European Inventory of Existing Commercial Substances
ELINCS - European List of notified Chemical Substances
EN - European Standard
EQS - Environmental Quality Standard
EU - European Union
Euphrac - European Phrase Catalogue
EWC - European Waste Catalogue (replaced by LoW – see below)
GES - Generic Exposure Scenario
GHS - Globally Harmonized System
IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
IMSBC - International Maritime Solid Bulk Cargoes
IT - Information Technology
IUCLID - International Uniform Chemical Information Database
IUPAC - International Union for Pure Applied Chemistry
JRC - Joint Research Centre
Kow - octanol-water partition coefficient
LC₅₀ - Lethal Concentration to 50 % of a test population
LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose)
LE - Legal Entity
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)
LR - Lead Registrant
M/I - Manufacturer / Importer
MS - Member States
MSDS - Material Safety Data Sheet
OC - Operational Conditions
OECD - Organization for Economic Co-operation and Development

SAFETY DATA SHEET

according to Regulation 1907/2006 amended by
2015/830/EU

Product name: **EK-CRYOFUEL PREMIX CLEAR / SOLID**
Creation date: **19.10.2016** · Revision: **4.2.2022** · Version: **2**

OEL - Occupational Exposure Limit
OJ - Official Journal
OR - Only Representative
OSHA - European Agency for Safety and Health at work
PBT - Persistent, Bioaccumulative and Toxic substance
PEC - Predicted Effect Concentration
PNEC(s) - Predicted No Effect Concentration(s)
PPE - Personal Protection Equipment
(Q)SAR - Qualitative Structure Activity Relationship
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
RIP - REACH Implementation Project
RMM - Risk Management Measure
SCBA - Self-Contained Breathing Apparatus
SDS - Safety data sheet
SIEF - Substance Information Exchange Forum
SME - Small and Medium sized Enterprises
STOT - Specific Target Organ Toxicity
(STOT) RE - Repeated Exposure
(STOT) SE - Single Exposure
SVHC - Substances of Very High Concern
UN - United Nations
vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data

Safety Data Sheet of raw material.

List of relevant H phrases

H301 Toxic if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H361d Suspected of damaging the unborn child.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.