Product name: **EK-CRYOFUEL SOLID CONCENTRATE** Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

EK-CRYOFUEL SOLID CONCENTRATE

Synonyms

EK-CryoFuel Solid Electric Purple Concentrate 250mL (EAN 3831109880272), EK-CryoFuel Solid Azure Blue Concentrate 250mL (EAN 3831109880289), EK-CryoFuel Solid Neon Green Concentrate 250mL (EAN 3831109880296), EK-CryoFuel Solid Cloud White Concentrate 250mL (EAN 3831109880234), EK-CryoFuel Solid Laguna Yellow Concentrate 250mL (EAN 3831109880241), EK-CryoFuel Solid Fire Orange Concentrate 250mL (EAN 3831109880258), EK-CryoFuel Solid Scarlet Red Concentrate 250mL (EAN 3831109880265), EK-CryoFuel Mystic Fog Concentrate 250 mL (EAN 3831109829929)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Coolant for water cooling of computer systems.

Uses advised against

Not for consumption.

1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u>

KIMI d.o.o. EKWB d.o.o.

Planjava 1, 1236 Trzin, Address: Poslovna Cona Pod Lipami 18, 1218 Komenda, Slovenia

Supplier

Slovenia Phone: 0590 96610

Tel: 00386 (0)1 5300 550 Fax: 00386 (0)1 5300 580 E-mail: info@kimi.si

1.4. Emergency telephone number

Emergency

112

Supplier

0590 96610

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Skin Sens. 1; H317 May cause an allergic skin reaction.

Print date: 26.10.2020 Page 1 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE**Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

2.2 Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]



Signal word: Warning

H317 May cause an allergic skin reaction.

P102 Keep out of reach of children.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P312 Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with national regulations.

2.2.2. Contains:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (CAS: 55965-84-9, Index: 613-167-00-5)

2.2.3. Special provisions

Special hazards are not known or expected.

2.3. Other hazards

No information.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

For mixtures see 3.2.

3.2. Mixtures

| Name | EC a | | Classification according to Regulation (EC) No 1272/2008 (CLP) | Specific Conc. Limits | REACH Registration No. |
|---|---------------------------------|----------|--|---|------------------------------|
| sodium 2-ethylhexanoate | 19766-89-3 243-283-8 - | 1-2,5 | Repr. 2; H361d | | - |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) [B] | 55965-84-9 - 613-167-00-5 | 0,01-0,1 | Acute Tox. 3; H301 Acute Tox. 2; H310 Skin Corr. 1C; H314 Skin Sens. 1A; H317 Eye Dam. 1; H318 Acute Tox. 2; H330 Aquatic Acute 1; H400 [M=100] Aquatic Chronic 1; H410 [M=100] EUH071 | Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % | - |

Print date: 26.10.2020 Page 2 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE** Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

Notes for substances:

B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

In Part 3 entries with Note B have a general designation of the following type: "nitric acid ... %".

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency.

Following inhalation

Remove patient to fresh air - move out of dangerous area. If symptoms occur, seek medical advice.

Following skin contact

Take off all contaminated clothing. If symptoms persist seek medical attention. Wash affected skin areas thoroughly with plenty of water and soap.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. In case of doubt or if feeling unwell seek medical help. Show the physician the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

Skin contact

May cause sensitisation by skin contact (symptoms: itching, redness, rashes).

Eye contact

Contact with eyes can cause irritation (redness, tearing, pain).

Ingestion

May cause nausea/vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

Print date: 26.10.2020 Page 3 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE** Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

5.3. Advice for firefighters

Protective actions

_

Special protective equipment for firefighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Emergency procedures

Ensure adequate ventilation.

6.1.2. For emergency responders

-

6.2. Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

6.3. Methods and material for containment and cleaning up

6.3.1. For containment

-

6.3.2. For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor.

6.3.3. Other information

-

6.4. Reference to other sections

See also Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

7.1.1. Protective measures

Measures to prevent fire

Ensure adequate ventilation.

Measures to prevent aerosol and dust generation

-

Measures to protect the environment

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

7.1.2. Advice on general occupational hygiene

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with skin and eyes. Do not breathe vapours/mist.

Print date: 26.10.2020 Page 4 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE** Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Technical measures and storage conditions

Keep away from food, drink and animal feeding stuffs. Store at room temperature. Keep out of the reach of children.

7.2.2. Packaging materials

The original container of producer.

7.2.3. Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking.

7.2.4. Storage class

-

7.2.5. Further information on storage conditions

-

7.3. Specific end use(s)

Recommendations

_

Industrial sector specific solutions

-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. Occupational exposure limit values

| Name (CAS) | | | | erm ıre limit | Remarks | Biological Tolerance |
|--|----------------------------|-------------------|----------------------------|-------------------|---------|-------------------------|
| | ml/m ³ (ppm) | mg/m ³ | ml/m ³ (ppm) | mg/m ³ | | Values |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | | 0,05 | | | 8 h | |

8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values.

8.1.3. DNEL/DMEL values

For components

| Name | Туре | Exposure route | Exposure frequency | Value | Remark |
|--------------------------------------|----------|----------------|------------------------------|-----------------------|--------|
| sodium 2-ethylhexanoate (19766-89-3) | Worker | dermal | long term (systemic effects) | 2 mg/kg bw/day | |
| sodium 2-ethylhexanoate (19766-89-3) | Worker | inhalation | long term (systemic effects) | 14 mg/m ³ | |
| sodium 2-ethylhexanoate (19766-89-3) | Consumer | oral | long term (systemic effects) | 1 mg/kg bw/day | |
| sodium 2-ethylhexanoate (19766-89-3) | Consumer | dermal | long term (systemic effects) | 1 mg/kg bw/day | |
| sodium 2-ethylhexanoate (19766-89-3) | Consumer | inhalation | long term (systemic effects) | 3,5 mg/m ³ | |

Print date: 26.10.2020 Page 5 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE** Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

8.1.4. PNEC values

For components

| Name | Exposure route | Value | Remark |
|--------------------------------------|-----------------------------|--------------|------------|
| sodium 2-ethylhexanoate (19766-89-3) | fresh water | 0,36 mg/L | |
| sodium 2-ethylhexanoate (19766-89-3) | marine water | 0,036 mg/L | |
| sodium 2-ethylhexanoate (19766-89-3) | water, intermittent release | 0,493 mg/L | |
| sodium 2-ethylhexanoate (19766-89-3) | fresh water sediment | 0,301 mg/kg | dry weight |
| sodium 2-ethylhexanoate (19766-89-3) | marine water sediment | 0,0301 mg/kg | dry weight |
| sodium 2-ethylhexanoate (19766-89-3) | soil | 0,0579 mg/kg | dry weight |
| sodium 2-ethylhexanoate (19766-89-3) | water treatment plant | 71,7 mg/L | |

8.2. Exposure controls

8.2.1. Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

8.2.2. Personal protective equipment

Eye and face protection

Safety glasses with side protection (EN 166).

Hand protection

Protective gloves (EN 374).

Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

Respiratory protection

-

Thermal hazards

-

8.2.3. Environmental exposure controls

-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| - | Physical state: | liquid |
|---|-----------------|-----------------------------------|
| - | Colour: | according to specification, milky |
| - | Odour: | characteristic |

Print date: 26.10.2020 Page 6 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE**Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

Important health, safety and environmental information

| - | рН | 8 – 9 at 20 °C |
|------------------|---|--|
| - | Melting point/freezing point | No information. |
| - | Initial boiling point/boiling range | No information. |
| - | Flash point | No information. |
| - | Evaporation rate | No information. |
| - | Flammability (solid, gas) | No information. |
| - | Explosion limits (vol%) | No information. |
| - | Vapour pressure | No information. |
| - | Vapour density | No information. |
| | | |
| - | Density | Density: ca. 1 g/cm ³ at 20 °C |
| - | Density Solubility | |
| - | | ca. 1 g/cm ³ at 20 °C Water: |
| - | Solubility | ca. 1 g/cm ³ at 20 °C Water: miscible |
| - - - - | Solubility Partition coefficient | ca. 1 g/cm ³ at 20 °C Water: miscible No information. |
| - | Solubility Partition coefficient Auto-ignition temperature | ca. 1 g/cm ³ at 20 °C Water: miscible No information. No information. |
| - | Solubility Partition coefficient Auto-ignition temperature Decomposition temperature | ca. 1 g/cm³ at 20 °C Water: miscible No information. No information. No information. |

9.2. Other information

| - | Remarks: | |
|---|----------|--|

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

-

10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3. Possibility of hazardous reactions

-

10.4. Conditions to avoid

No special precautions required. Consider the directions for use and storage.

10.5. Incompatible materials

-

10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

Print date: 26.10.2020 Page 7 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE**Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

(a) Acute toxicity

| Name | Exposure route | Туре | Species | Time | Value | Method | Remark |
|--|-------------------------|------------------|---------|------|--------------------------|-------------|--------|
| sodium 2-ethylhexanoate (19766-89-3) | oral | LD ₅₀ | rat | | 2043 mg/kg bw | OECD 401 | |
| sodium 2-ethylhexanoate (19766-89-3) | dermal | LD ₅₀ | rat | | > 2000 mg/kg bw | OECD 402 | |
| sodium 2-ethylhexanoate (19766-89-3) | inhalation (vapours) | LC ₀ | rat | 8 h | 0,11 mg/l | OECD 403 | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | oral | LD ₅₀ | rat | | 53 mg/kg | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | inhalation | LC ₅₀ | rat | 4 h | 330 mg/m ³ | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | inhalation | LC ₅₀ | rat | 4 h | 2,36 mg/l | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | dermal | LD ₅₀ | rabbit | | 660 mg/kg | | |

(b) Skin corrosion/irritation

| Name | Species | Time | Result | Method | Remark |
|--|---------|------|-----------|-------------|--------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | rabbit | | Corrosive | OECD 404 | |

(c) Serious eye damage/irritation

No information.

(d) Respiratory or skin sensitisation

| Name | Exposure route | Species | Time | Result | Method | Remark |
|--|----------------|---------|------|--|--------|--------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | dermal | | | May cause sensitisation by skin contact. | | |

(e) (Germ cell) mutagenicity

| Name Type | Species | Time | Result | Method | Remark |
|--|---------|------|----------------|--------|--------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | | | Not mutagenic. | | |

(f) Carcinogenicity

| Name | Exposure route | Туре | Species | Time | Value | Result | Method | Remark |
|--|----------------|------|---------|------|-------|-------------------|--------|--------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | | | | | | Not carcinogenic. | | |

Print date: 26.10.2020 Page 8 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE**Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

(g) Reproductive toxicity

| Name | Reproductive toxicity type | Туре | Species | Time | Value | Result | Method | Remark |
|--|----------------------------|------|---------|------|-------|--|--------|----------------|
| sodium 2-ethylhexanoate (19766-89-3) | Teratogenicity | oral | rat | | | Increased incidence of malformations, delayed fetal growth, lower birth rates. | | (2-EXA) |
| sodium 2-ethylhexanoate (19766-89-3) | Teratogenicity | | mouse | | | birth malformations | | intraperitonea |
| reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H- isothiazolin-3-one (3:1) (55965-84-9) | | | | | | Not toxic for reproduction. | | |

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

(h) STOT-single exposure

No information.

(i) STOT-repeated exposure

| Name | Exposure route | Туре | Species | Time | Organ | Value | Result | Method | Remark |
|--|----------------|------|---------|------|-------|-------|--|--------|--------|
| sodium 2-ethylhexanoate (19766-89-3) | oral | - | rat | | | | 2-Ethylhexanoic acid (2-EXA) caused an increase in liver size and enzyme levels when repeatedly administered to rats via the diet. | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | inhalation | - | | | | | Excessive exposure may cause irritation of the upper respiratory tract (nose and throat). | | |

(j) Aspiration hazard

| Name | Result | Method | Remark |
|--|--|--------|--------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | During ingestion or vomiting, inhalation into the lungs may occur, which can cause tissue damage or lung injury. | | |

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Acute (short-term) toxicity

For components

| Substance (CAS Nr.) | Туре | Value | Exposure time | Species | Organism | Method | Remark |
|--|------------------|---------------|---------------|-----------|--------------------|-------------|--------|
| sodium 2-ethylhexanoate (19766-89-3) | LC ₅₀ | > 100 mg/L | 96 h | fish | Oryzias latipes | OECD 203 | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | EC ₅₀ | 0,16 mg/L | 48 h | crustacea | Daphnia sp. | | |
| | LC ₅₀ | 0,19 mg/L | 96 h | fish | | | |

Print date: 26.10.2020 Page 9 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE**Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

12.1.2. Chronic (long-term) toxicity

For components

| Substance (CAS Nr.) | Туре | Value | Exposure time | Species | Organism | Method | Remark |
|--|------|----------------|---------------|-------------|------------------------|-------------|--------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | NOEC | 0,098 mg/l | 28 days | fish | Oncorhynchus mykiss | OECD 210 | |
| | NOEC | 0,0036 mg/l | 21 days | crustaceans | Daphnia magna | OECD 211 | |

12.2. Persistence and degradability

12.2.1. Abiotic degradation, physical- and photo-chemical elimination

For components

| Substance (CAS Nr.) | Environment | Type / Method | Half Time | Evaluation | Method | Remark |
|--|-------------|------------------|-----------------------|------------|--------|-----------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | Air | photodegradation | 0,38 - 1,3 days | 50% | | half-life |

12.2.2. Biodegradation

For components

| Substance (CAS Nr.) | Туре | Rate | Time | Evaluation | Method | Remark |
|--|---------|------|------|--------------------------|---------------|--------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | aerobic | | _ | readily biodegradable | OECD 301 D | |

12.3. Bioaccumulative potential

12.3.1. Partition coefficient

For components

| Substance (CAS Nr.) | Media | Value | Temperature | рΗ | Concentration | Method |
|--|-------|-----------------|-------------|----|---------------|-------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | 0 | -0,71 – 0,75 | 20 °C | | | OECD 117 |

12.3.2. Bioconcentration factor (BCF)

No information.

12.4. Mobility in soil

12.4.1. Known or predicted distribution to environmental compartments

No information.

12.4.2. Surface tension

No information.

12.4.3. Adsorption/Desorption

For components

| Substance (CAS Nr.) | Type | Criterion | Value | Evaluation | Method | Remark |
|--|------|-----------|-------|------------|--------|-----------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1) (55965-84-9) | Soil | | 28 | | | Koc, estimation |

12.5. Results of PBT and vPvB assessment

No evaluation.

12.6. Other adverse effects

No information.

Print date: 26.10.2020 Page 10 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE** Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

12.7. Additional information

For product

Do not allow to reach ground water, water courses or sewage system.

For components

Substance: sodium 2-ethylhexanoate

Do not allow to reach ground water, water bodies or sewage systems.

Substance: reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1)

This substance is not in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

13.1.1. Product / Packaging disposal

Waste chemical

Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste.

Waste codes / waste designations according to LoW

16 01 14* - antifreeze fluids containing dangerous substances

Packaging

Deliver completely emptied containers to approved waste disposal authorities.

Waste codes / waste designations according to LoW

15 01 02 - plastic packaging

13.1.2. Waste treatment-relevant information

-

13.1.3. Sewage disposal-relevant information

-

13.1.4. Other disposal recommendations

-

SECTION 14. TRANSPORT INFORMATION

14.1. UN number

Not applicable.

14.2. UN proper shipping name

ADR, RID, IMDG, ADN, IATA: Not dangerous according to transport regulations.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

NO.

14.6. Special precautions for user

Not applicable.

Print date: 26.10.2020 Page 11 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE** Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

SECTION 15. REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)
 - Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Not applicable.

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

Indication of changes

_

Abbreviations and acronyms

- ATE Acute Toxicity Estimate
- ADR European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- CEN European Committee for Standardisation
- C&L Classification and Labelling
- CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
- CAS# Chemical Abstracts Service number
- CMR Carcinogen, Mutagen, or Reproductive Toxicant
- CSA Chemical Safety Assessment
- CSR Chemical Safety Report
- DMEL Derived Minimal Effect Level
- DNEL Derived No Effect Level
- DPD Dangerous Preparations Directive 1999/45/EC
- DSD Dangerous Substances Directive 67/548/EEC
- DU Downstream User
- EC European Community
- ECHA European Chemicals Agency
- EC-Number EINECS and ELINCS Number (see also EINECS and ELINCS)
- EEA European Economic Area (EU + Iceland, Liechtenstein and Norway)
- EEC European Economic Community
- EINECS European Inventory of Existing Commercial Substances
- ELINCS European List of notified Chemical Substances
- EN European Standard
- EQS Environmental Quality Standard
- EU European Union
- Euphrac European Phrase Catalogue
- EWC European Waste Catalogue (replaced by LoW see below)
- GES Generic Exposure Scenario
- GHS Globally Harmonized System
- IATA International Air Transport Association
- ICAO-TI Technical Instructions for the Safe Transport of Dangerous Goods by Air
- IMDG International Maritime Dangerous Goods
- IMSBC International Maritime Solid Bulk Cargoes
- IT Information Technology
- IUCLID International Uniform Chemical Information Database

Print date: 26.10.2020 Page 12 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE** Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

IUPAC - International Union for Pure Applied Chemistry

JRC - Joint Research Centre

Kow - octanol-water partition coefficient

LC₅₀ - Lethal Concentration to 50 % of a test population

LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose)

LE - Legal Entity

LoW - List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

LR - Lead Registrant

M/I - Manufacturer / Importer

MS - Member States

MSDS - Material Safety Data Sheet

OC - Operational Conditions

OECD - Organization for Economic Co-operation and Development

OEL - Occupational Exposure Limit

OJ - Official Journal

OR - Only Representative

OSHA - European Agency for Safety and Health at work

PBT - Persistent, Bioaccumulative and Toxic substance

PEC - Predicted Effect Concentration

PNEC(s) - Predicted No Effect Concentration(s)

PPE - Personal Protection Equipment

(Q)SAR - Qualitative Structure Activity Relationship

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

RIP - REACH Implementation Project

RMM - Risk Management Measure

SCBA - Self-Contained Breathing Apparatus

SDS - Safety data sheet

SIEF - Substance Information Exchange Forum

SME - Small and Medium sized Enterprises

STOT - Specific Target Organ Toxicity

(STOT) RE - Repeated Exposure

(STOT) SE - Single Exposure

SVHC - Substances of Very High Concern

UN - United Nations

vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data

MSDS of ingredients of the product.

List of relevant H phrases

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H361d Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.

Print date: 26.10.2020 Page 13 of 14

Product name: **EK-CRYOFUEL SOLID CONCENTRATE**Creation date: **31.1.2017** · Revision: **26.10.2020** · Version: **1**

Print date: 26.10.2020 Page 14 of 14