Product name: EK-Ekoolant Pastel (concentrate 250mL) Series Creation date: 2.7.2014 Revision: : 4.7.2014 Version: 1

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Product name:

EK-Ekoolant Pastel (concentrate 250mL) Series

Product code

3830046999702, 3830046999719, 3830046999726, 3830046999733, 3830046999740, 3830046999757

1.2. USE OF THE SUBSTANCE/PREPARATION

<u>Use:</u>

Colour, paste

Uses advised against:

No information

1.3. COMPANY/UNDERTAKING IDENTIFICATION

Supplier

EKWB d.o.o. Address: Pot za Brdom 100, 1000 Ljubljana, Slovenia Tel.: +386 590 966 10

1.4. EMERGENCY TELEPHONE

Emergency:

112

Supplier:

+386 590 966 10

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of substance/preparation

2.1.1. Classification according to directive 67/548/EEC or. 99/45/EC

According to the directive on preparations, the chemical is not classified as dangerous. Safety data sheet available for professional user on request.

2.2. Label elements

2.2.1. Symbol letter(s):

According to the directive on preparations, the symbol is not needed.

2.2.2. Risk phrases:

In accordance with the regulations risk phrases are not required.



chemius.net/vA2b1

Product name: EK-Ekoolant Pastel (concentrate 250mL) Series Creation date: 2.7.2014 Revision: : 4.7.2014 Version: 1

2.2.3. Safety phrases:

According to the legislation, safety phrases are not needed.

2.2.4. Contains:

2.2.5. Special provisions

Special hazards are not known or expected.

2.3. Other hazards

No information

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

For mixtures see 3.2.

3.2. Mixtures

Chemical name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 [CLP]	Classification according to directive 67/548/EEC or 99/45/EC	REACH reg. number
Water	7732-18-5 231-791-2 -		not classified	not classified	-
Glycerol	56-81-5 200-289-5 -	10-40	not classified	not classified	-

SECTION 4. FIRST AID MEASURES

4.1. First-aid measures

General measures:

In case of accident or if you feel unwell, seek medical advice immediately (show the lable where possible).

Skin contact:

Take off all contaminated clothing. Wash thoroughly with plenty of water and soap! If feeling unwell seek medical help.

Eye contact:

Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. If irritation persist, seek professional medical attention.

Inhalation:

No special measures.

Ingestion:

Rinse mouth with water. In case of doubt or if feeling unwell seek medical help. Show the physician the Safety Data Sheet or label.

Product name: EK-Ekoolant Pastel (concentrate 250mL) Series Creation date: 2.7.2014 Revision: : 4.7.2014 Version: 1

4.2. Symptoms

Skin contact:

-

Eye contact:

Contact with eyes can cause irritation.

Inhalation:

-

Ingestion:

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

-

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Not combustible / not flammable.

5.3. Advice for firefighters

Protective actions

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective clothing for fire-fighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

SECTION 6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures
 - 6.1.1. For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Product name: EK-Ekoolant Pastel (concentrate 250mL) Series Creation date: 2.7.2014 Revision: : 4.7.2014 Version: 1

Emergency procedures

Ensure adequate ventilation. Avoid contact with skin and eyes.

6.1.2. For emergency responders

6.2. Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental entry into water or ground occurs, inform responsible authorities.

6.3. Methods and material for containment and cleaning up

6.3.1. For containment

6.3.2. For cleaning up

Absorb product (with inert material), collect it in special container and dispose it according to valid regulations on handling with waste.

6.3.3. Other information

6.4. Reference to other sections

See also sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

7.1.1. Protective measures

Measures to prevent fire

Ensure adequate ventilation.

Measures to prevent aerosol and dust generation

Measures to protect the environment

7.1.2. Advice on general occupational hygiene

Use good personal hygiene practices-wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Technical measures and storage conditions

Keep in cool and good ventilated area. Keep away from food, drink and animal feedingstuffs Keep in tightly closed container. Protect from direct sunlight. Keep in a dry place.

Product name: EK-Ekoolant Pastel (concentrate 250mL) Series Creation date: 2.7.2014 Revision: : 4.7.2014 Version: 1

7.2.2. Packaging materials

7.2.3. Requirements for storage rooms and vessels

- 7.2.4. Storage class
- 7.2.5. Further information on storage conditions

7.3. Specific end use(s)

Recommendations

Industrial sector specific solutions

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. Occupational Exposure limit values

Chemical name (CAS)	Limit values		Short-term exposure limit		Remarks	Biological Tolerance Values
	ml/m3	mg/m3	ml/m3 mg/m3			
	(ppm)		(ppm)			
Glycerol, mist (56-81-5)	-	10	-	-		

8.1.2. Information on monitoring procedures

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

8.1.3. DNEL values

For components

Chemical name	Туре	exp. route	exp. frequency	value	Remark
Glycerol (56-81-5)	Worker	inhalation	long term (local effects)	56 mg/m ³	
Glycerol (56-81-5)	Consumer	oral	long term (systemic effects)	229 mg/kg	
Glycerol (56-81-5)	Consumer	inhalation	long term (local effects)	33 mg/m ³	

8.1.4. PNEC values

For components

Chemical name	exp. route	value	Remark
Glycerol (56-81-5)	fresh water	0,885 mg/l	
Glycerol (56-81-5)	marine water	0,0885 mg/l	
Glycerol (56-81-5)	water, intermittent release	8,85 mg/l	
Glycerol (56-81-5)	soil	0,141 mg/kg	

8.2. Exposure controls

8.2.1. Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices-wash hands at breaks and when done working with material.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in the area with increased concentration.

8.2.2. Personal protection equipment

Eye and face protection

Wear safety glasses with side shields against possible splashes into the eyes.

Hand protection

With excessive exposure wear protective gloves (EN 374). Protective gloves (EN 374).

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not needed under normal use and adequate ventilation.

Thermal hazards

8.2.3. Environmental exposure controls

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. General information

-	Physical state:	liquid
-	Colour:	according to specification
-	Odour:	None

Product name: EK-Ekoolant Pastel (concentrate 250mL) Series Creation date: 2.7.2014 Revision: : 4.7.2014 Version: 1

Important health, safety and environmental information

	рН	7 — 8 at 25 °C, conc. 10 g/l
-	-	
-	Melting point	-8 °C
-	Boiling point/boiling range	100 °C
-	Flashpoint	No information
-	Evaporation rate	No information
-	Ignition temperature	No information
-	Explosion limits (vol%)	No information
-	Vapour pressure	No information
-	Vapour density	No information
-	Density	Density : 0,8 — 1 g/cm ³ at 25 °C
-	Solubility	Water : 99 %
-	Partition coefficient n-octanol/water (log Kow)	No information
-	Auto-ignition temperature	No information
-	Decomposition temperature	No information
-	Viscosity	No information
-	Explosive properties	No information
-	Oxidising properties	No information

9.2. Other information

Remarks:

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

-

-

-

10.2. Chemical stability

Product is stable under normal conditions according to handling and storage.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

No special precautions required. Consider the directions for use and storage.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products expected.

Product name: EK-Ekoolant Pastel (concentrate 250mL) Series Creation date: 2.7.2014 Revision: : 4.7.2014 Version: 1

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

11.1.1. Acute toxicity

For product

exp. route	Туре	species	Time	value	Method	Remark
oral	LD ₅₀	rat		> 10 mg/kg		

For components

Chemical name	exp. route	Туре	species	Time	value	Method	Remark
Glycerol (56-81-5)	oral	LD ₅₀	rat		27 mg/kg		
Glycerol (56-81-5)	inhalation	LC ₅₀	rat	7 h	4655 mg/l		

11.1.2. Skin corrosion/irritation, serious eye damage/irritation, aspiration hazard

Additional information

The product is not classified as irritating to skin and eyes.

11.1.3. Respiratory or skin sensitisation

Additional information

Not classified as sensitizing.

11.1.4. Carcinogenicity, Mutagenicity, Reproductive toxicity

Carcinogenicity

No information

(Germ cell) mutagenicity

No information

Reproductive toxicity

No information

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

11.1.5. STOT-single and repeated exposure

No information

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Acute (short-term) toxicity

For components

Substance (CAS Nr.)	Туре	Value	Exposure time	Species	Organism	Method	Remark
Glycerol (56-81-5)	l (56-81-5) LC ₅₀		96 h	fish	Oncorhynchus mykiss		
	EC_{50}	1000 mg/L	0	bacteria	Activated sludge		
	EC_{50}	10000 mg/L	24 h	daphnia	Daphnia magna		

12.1.2. Chronic (long-term) toxicity

No information

12.2. Persistence and degradability

12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information

12.2.2. Biodegradation

For components

Substance (CAS Nr.)	Туре	Rate	Time	Evaluation	Method	Remark
Glycerol (56-81-5)	BPK	0,87 g O2/g				
Glycerol (56-81-5)	KPK	1,16 g O2/g			ISO 15705	
Glycerol (56-81-5)	ThOD	1,217 g O2/g				
Glycerol (56-81-5)	BOD (% ThOD)	71 % ThOD				
Glycerol (56-81-5)	aerobic			biodegradable		

Additional information

Preparation with easily biodegradable substances.

12.3. Bioaccumulative potential

12.3.1. Partition coefficient n-octanol/water (log Kow)

For components

Substance (CAS Nr.)	Media	value	Temperature	pН	Concentration	Method
Glycerol (56-81-5)	Octanol-water (log Pow)	-1,76 – 2,6				

12.3.2. Bioconcentration factor (BCF)

No information

12.4. Mobility

12.4.1. Known or predicted distribution to environmental compartments

No information

Product name: EK-Ekoolant Pastel (concentrate 250mL) Series Creation date: 2.7.2014 Revision: : 4.7.2014 Version: 1

12.4.2. Surface tension

For components

Substance (CAS Nr.)	value	Temperature	Concentration	Method	Remark
Glycerol (56-81-5)	0,063 N/m	20 °C			

12.4.3. Adsorption/Desorption

No information

12.5. Results of PBT and vPvB assessment

No evaluation.

12.6. Other adverse effects

No information

12.7. Additional information

For product

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

<u>13.1.1. Product / Packaging disposal</u>

Waste chemical

Ensure that waste is in compliance with local and national requirements.

Packaging

Completely emptied container dispose according to regulations. Clean container with water.

13.1.2. Waste treatment-relevant information

13.1.3. Sewage disposal-relevant information

13.1.4. Other disposal recommendations

SECTION 14. TRANSPORT INFORMATION

14.1. UN number

...continued from previous page

Product name: EK-Ekoolant Pastel (concentrate 250mL) Series Creation date: 2.7.2014 Revision: : 4.7.2014 Version: 1

14.2. UN proper shipping name Not dangerous according to ADR.

- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards

NO

- 14.6. Special precautions for user
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
- Dangerous preparations directive (99/45/EC) as amended
- Dangerous substances directive (67/548/EEC) as amended

<u>15.1.1. Information according 1999/13/EC about limitation of emissions of volatile organic compounds</u> (VOC-guideline)

No information

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

Indication of changes

Key literature references and sources for data

List of relevant R phrases

_

Product name: EK-Ekoolant Pastel (concentrate 250mL) Series Creation date: 2.7.2014 Revision: : 4.7.2014 Version: 1

List of relevant H phrases

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.